

A

B




C

D


E

F

Ausführungsvarianten
für Muffe Innenrohr



M 1:5 (Ø150-Ø120)



ØA - ØC ≤ 20mm : 1-teilig
ØA - ØC > 20mm : 3-teilig

Ø	130			140									150									160														
A	130			140									150									160														
C	115	120	125	80	90	100	110	115	120	125	129	130	80	90	100	109	110	115	119	120	125	130	140	80	90	100	110	115	120	125	130	140	149			
D	40																																			
ti	0,6																																			
tA	0,8																																			
kg	0,4			0,5	0,4									0,5									0,4	0,5												
Ø	80	90	100				107	110				113	115				120				124	125				130										
A	80	90	100				107	110				113	115				120				124	125				130										
C	60	70	80	60	70	80	90	80	60	80	90	100	110	60	65	80	90	100	110	60	80	90	100	110	115	90	60	80	100	115	120	60	80	90	100	110
D	40																																			
ti	0,6																																			
tA	0,8																																			
kg	0,2	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,4	0,3	0,4		0,3	0,4	0,3	0,4																

notes:	DIN ISO 13920 Tolerances B			 CHIMNEY SYSTEMS	scale
	revisions-no. A1		mm / kg		1:3
		date	name		format
	drawn by	23.06.2020	KSA		A4
	checked by				sheet
	approved by				1 of 1
	modified by				
				description	
				Reduzierung	
				code	
				EWR	
				drawing-no.	
				01-01-20-3350-000	
					

A




B

C

D


E

F

Ausführungsvarianten
für Muffe Innenrohr

A (1 : 2)

M 1:5 (Ø150-Ø120)



ØA - ØC ≤ 20mm : 1-teilig

ØA - ØC > 20mm : 3-teilig

Ø	200				202	210				220		225										230				240	250						
A	200				202	210				220		225										230				240	250						
C	160	170	180	190	178	80	125	170	178	80	200	90	100	110	115	120	130	140	150	160	180	200	150	180	200	225	180	80	90	100	110	115	
D	40				100	40		100	40	100					40										100								
ti	0,6																																
tA	0,8																																
kg	0,6	0,7	0,6	0,7				0,6	0,8	0,7	0,8				0,9	0,7				0,8	0,7	0,8	0,7	0,8	0,9								
Ø	160		170		180														190		200												
A	160		170		180														190		200												
C	150	130	150	160	80	90	100	110	115	120	124	125	130	140	150	160	170	177	130	150	180	80	90	100	110	115	120	124	125	130	140	150	
D	40				100	40														100				40									
ti	0,6																																
tA	0,8																																
kg	0,5	0,6	0,5	0,6	0,5	0,6										0,5	0,6				0,7	0,8	0,6										0,7

notes:

DIN ISO 13920 Tolerances B

revisions-no.

A1

mm / kg

date

23.06.2020

name

KSA

checked by

approved by

modified by

Jeremias[®]
CHIMNEY SYSTEMS

description Reduzierung

code EWR

drawing-no.

01-01-20-3350-000

scale

1:3

format

A4

sheet

1 of 1



A

B



C

D

E


F

Ausführungsvarianten
für Muffe Innenrohr



A (1 : 2)

M 1:5 (Ø150-Ø120)



ØA - ØC ≤ 20mm : 1-teilig

ØA - ØC > 20mm : 3-teilig

Ø	350	360	400					450					500					550					600					610	630	650					700					750	760													
A	350	360	400					450					500					550					600					610	630	650					700					750	760													
C	320	330	350	150	200	250	300	350	225	300	350	400	250	350	400	450	400	450	500	200	350	400	450	500	550	600					500	550	600	550	600	650	500	700	750															
D	40		100					40	100					40	100					40	100					40	100					40					100					40	100					40	100					40

ti	0,8																						
tA	1,0																						
kg	1,4	1,8	2,2	2,5	2,6	2,0	2,8	2,9	3,2	2,5	3,7	3,6	3,5	2,8	3,9	3,8	3,0	4,2	3,2	4,8	3,5	3,2	

Ø	250												255	260	265	280	300												350			
A	250												255	260	265	280	300												350			
C	120	125	130	140	150	160	170	180	200	220	225	230	130	180	250		100	120	150	160	180	200	225	250	265	280	150	200	225	250	300	
D	100				40				100				40				100				40				100				40			
ti	0,6																0,8															
tA	0,8																1,0															
kg	1,0		0,8	1,0	0,8				1,0	0,8		1,0	1,1	1,2		1,0		0,9	1,0	1,6	1,8	1,9		1,6								

notes:

DIN ISO 13920 Tolerances B

revisions-no.

A1

mm / kg

date

23.06.2020

name

KSA

checked by

approved by

modified by

Jeremias
CHIMNEY SYSTEMS

description Reduzierung

code EWR

drawing-no. 01-01-20-3350-000

scale

1:3

format

A4

sheet

1 of 1

